



# Cisco Webex Room Navigator

# Contents

Product overview	3
Features and benefits	4
Warranty information	6
Ordering information	6
Cisco environmental sustainability	6
Cisco Services	6
Cisco Capital	7
For more information	7

#### Wall mount version

#### Product overview

The future of work is about connecting people and connecting people to their work, by leveraging intelligence and context to eliminate the friction in the employee journey. These simple and intelligent experiences deliver those experiences in a way that is scalable, secure and easy to manage. This is achieved by creating uninterrupted workflows to maximize both the user experience and utilization of your collaboration spaces.

The Cisco Webex Room Navigator control unit is an intuitive device designed to give you access to several room controls, such as: controlling Cisco videoconferencing systems, booking a room and controlling amenities within the room.

This touch-based unit is optimized for an effortless user experience – from launching and ending a video or audio conference, to sharing content, and viewing contact lists and directories.

The Room Navigator supports the Webex Room Series as well as Webex Board Series.

The user interface can be configured by administrators to easily control other room peripherals such as lighting, room dividers, and curtains.



Figure 1.
Cisco Webex Room Navigator unit mounted on wall

### Features and benefits

Cisco Webex Room Navigator for wall mounting can be configured as a control device within the room. It will then behave like its table stand counterpart. It can also be configured as a room booking only device.

The Room Navigator can easily be installed on any type of wall. It is also designed to be within the reach of people with disabilities and tilted to be mounted low and usable by anyone.

When activated, a 360° LED will show availability status of the meeting room. Equipped with an ambient light sensor, the Room Navigator LCD will automatically dim down when ambient light is low.

Only one cable is needed to power the units and network access. The Room Navigator can be connected directly to a Webex Room device or remotely paired to it when plugged on a PoE network.



**Figure 2.** Rear view of the Room Navigator

Table 1 gives specifications of the Cisco Webex Room Navigator device.

Table 1. Product specifications

	Cisco Webex Room Navigator
Product compatibility	Cisco Webex Room Kit Series, Cisco Webex Room55 and Room70 Series, Cisco Webex Room Panorama, Cisco Webex Board 55S, 70S, 85S
Software compatibility	CE9.14.3 or later, or Webex Cloud enable running Navigator as a controlling device. Full room booking mode will be available in later release.
Call-control compatibility	Hosted: Controlled by codec, Cisco Unified Communications Manager 10.5.2 or newer and VCS  Cloud: Cisco Webex through the Cisco Collaboration Cloud

	Cisco Webex Room Navigator
Signaling protocols	TCP/IP
Display	Capacitive touch LCD     10.1-inch diagonal
Resolution	1920 x 1200
Memory	2GB
Sensors	Temperature, humidity, air quality (TVOC) experimental, ALS (Ambient Light Sensor).  Sensor values are accessible from Webex Room APIs and displayed on the Control Hub dashboard.
Language support	English, Arabic, Catalan, Czech, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese-Brazilian, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, and Turkish; (depends on software version)
Physical dimensions (H x L x D)	2.8 x 9.53 x 6.3 in. (7.0 x 24.2 x 16.9 cm) Maximum height in vertical position 6.5 in (16.4 cm).
Wall mounting	Can be mounted on glass walls, brick walls or dry walls.
Room availability LED	Multicolor LED autoconfigured with red, orange and green.
Weight	2.03lb (0.920 kg)
Power	Power over Ethernet (PoE)
Operating temperature and humidity	0°C to 35°C (32°F to 95°F) ambient temperature 10% to 90% Relative Humidity (RH)
Storage and transport temperature	-20°C to 60° (-4° to 140°F) at RH 10% to 90% (noncondensing)
Regulatory compliance	<ul> <li>Directive 2014/30/EU (EMC Directive) and Directive 2014/35/EU (Low-Voltage Directive)</li> <li>Directive 2011/65/EU (RoHS)</li> <li>Directive 2002/96/EU (WEEE)</li> <li>NRTL approved (product safety)</li> </ul>
Standards	<ul> <li>EMC: EN 55032 - Class A, EN 55024</li> <li>Safety: EN 60950-1, EN 62479</li> <li>FCC CFR 47 Part 15B (EMC) - Class A</li> </ul>

Check the Product Approval Status Database at <a href="https://www.ciscofax.com/">https://www.ciscofax.com/</a> for approval documents per country.

## Warranty information

Warranty information is available on Cisco.com at the **Product Warranties** page.

# Ordering information

Cisco Webex Touch devices are available as a part of an endpoint order and also as standalone units.

To place an order, visit the <u>Cisco<sup>®</sup> Ordering Home Page and refer to Table 2</u>. To download software, visit the <u>Cisco Software Center</u>.

See individual endpoint data sheets for whether Cisco Webex Touch comes standard with product.

Table 2. Ordering information

Product Name	Part Number	Compliance model number
Cisco Webex Room Navigator (wall mount version)	CS-T10-WM-K9=	TTC5-15
Wall bracket, adhesive and plugs spares	CS-T10-WM-BR=	

**Note:** Many of the products and features described herein remain in varying stages of development and will be offered on a when-and-if-available basis. This roadmap is subject to change at the sole discretion of Cisco, and Cisco will have no liability for delay in the delivery or failure to deliver any of the products or features set forth in this document.

# Cisco environmental sustainability

Information about Cisco's environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the "Environment Sustainability" section of Cisco's <u>Corporate Social Responsibility</u> (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the "Environment Sustainability" section of the CSR Report) are provided in the following table:

Sustainability topic	Reference
Information on product material content laws and regulations	<u>Materials</u>
Information on electronic waste laws and regulations, including products, batteries, and packaging	WEEE compliance

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

#### Cisco Services

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco Webex Device investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, visit:

https://www.cisco.com/go/telepresenceservices.

# Cisco Capital

#### Flexible payment solutions to help you achieve your objectives

Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments. Learn more.

#### For more information

For more information about the Cisco Webex Touch, please visit <a href="https://www.cisco.com/go/telepresence">https://www.cisco.com/go/telepresence</a> or contact your local Cisco account representative.

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA C78-744228-01 11/20