

neat.pad



One Touch. Two Roles.



Neat Pad is a simple and elegant touch screen you can use as a meeting control inside any Zoom meeting space or scheduling display outside. With its sleek design, including ideal screen angle for smooth interaction and viewing, Neat Pad is purpose-built for meeting rooms.

It beautifully blends in anywhere, whether placed on a table, wall or elsewhere. Thanks to just one Power over Ethernet cable, Neat Pad is always on, ready for you to leap into action, and with a dedicated power cable, never runs out of battery.

neat.

Simple set-up.


Neat Pad ships with a wall and side mount, so it's easy for anyone to install and set up. Use the wall mount to fix Neat Pad to your meeting room wall as a controller or outside your meeting room as a scheduling display. With the side mount, you can secure Neat Pad to the edge of your doorframe or mullion.

Fully managed and supported.

Neat removes complexities and threats thanks to our secure, single-purpose hardware devices, meaning no stressing about passwords and patches. Plus, you can install all the latest upgrades with just one click.

Safer meeting rooms.

As with all Neat devices, Neat Pad empowers companies to offer their employees significant health benefits. In today's hybrid working environment of having to take ever-increasing safety measures, that can be a massive relief. So, Neat Bar incorporates Neat Sense, a capability that helps you control and monitor air quality, humidity (healthy indoor humidity levels are between 30-50%. Flu viruses can quickly spread due to poor indoor humidity), CO2 and organic chemical levels in the room – scents, odors, etc. Furthermore, it enables you to see the number of people inside along with the temperature. That way, you can be sure of always maintaining correct social distancing. These valuable insights are accessible in the Zoom device management portal making it easy to monitor your meeting spaces.



Just works.

Neat Pad's controller function has two built-in microphones that will offer enhanced audio pickup to support even larger meeting rooms or when facing away from the screen (once enabled with a future software release). You can add multiple Neat Pads so that everyone has access to its controls from anywhere around the table. While Neat Pad's scheduling function displays all events booked in the meeting room, with red and green side LED indicators showing the availability of the room at any given time.



8"

HD touch screen

LED

Status indicators

(())

Wireless sharing

2

Microphones

PoE

Support

WiFi

WiFi

Light sensor

Light sensor

Orientation sensor

Orientation sensor

Air quality sensors

Air quality sensors

For more information, visit neat.no/pad

Neat Pad

General

8-inch (diagonal) touch screen
1280 × 800 screen resolution
16:10 aspect ratio
Anti glare, anti smudge coating
Ambient light sensor
Sensors for temperature, humidity, CO₂ and VOC
Side LED Indicators
Accelerometer
Wall mount and side mount
Security lock slot (Kensington compatible)
Native support for Zoom Rooms
Speakers for ultrasound
2 microphones (**)

Networking & ports

WiFi
USB-C (reserved for future use)
Ethernet (supports PoE)
Power adapter for AC (optional)

** Supported in future software update

Size & weight

Width: 7.8 inches (198 mm)
Height: 1.7 inches (42 mm)
Depth: 5 inches (127 mm)
Weight: 1.15 pounds (520 g)

Electrical and environmental requirements

Power over Ethernet (PoE): 802.3at PoE+ (Class 4/mode A)
56V = 0.275A
Ambient operating temperature: 32° to 95° F (0° - 35° C)
Storage temperature: -4° to 140° F (-20° to 60° C)
Relative humidity: 10% to 90%