

VZ-8 Visualizer Systems



Driving the Creation of Knowledge

VZ-8light⁴ and VZ-8plus⁴ Desktop Visualizer Systems



WolfVision is a worldwide provider of systems and services to leading universities, businesses, schools, and other organizations. An acknowledged 'technology leader' in the Visualizer and presentation solutions market, WolfVision is the company that takes the lead, setting standards worldwide for innovative, reliable, user-friendly, high performance presentation solutions.

The popular RedDot Design Award winning fourth generation VZ-8 Series Visualizers offer quick and efficient handling of multimedia presentation content, and can be customized using WolfVision feature packs, software, and accessories to provide an impressive all-in-one presentation solution.




Our extensive knowledge and expertise across all application sectors enables us to offer comprehensive consultative guidance on customized combinations of Visualizer hardware systems, software, and accessories, which enhance communication, collaboration, and knowledge sharing across all environments. As part of each individual ✓Solution we offer not only pre-sales advice, but also post-sales support, training and service, ensuring that you receive maximum benefit from your investment.

Driving the Creation of Knowledge. Since 1966.



reddot design award
winner 2013




$$U_1 = 220 \text{ W}; U_2 = 380 \text{ W}$$

Our Vision

When you've got something to say, we believe it is important that getting your message across and making an impact should be as easy as possible.

Our aim is to help you to explain it better, to give you the freedom to share your knowledge and collaborate with others - however you want, and whenever you want, when your audience is in the same room or on the other side of the world.

**Because knowledge matters -
to all of us.**



High Performance Imaging

WolfVision Visualizers are well-known for their unrivalled imaging quality, which is due to the perfect combination of high quality components and remarkable expertise. Our systems deliver high resolution throughout the entire picture, true-to-life colors, and consistently high frame rates to ensure smoothness of motion. They have fast and accurate autofocus and zooming, giving high quality dependable results every time! High end lenses provide distortion-free images, and high tech lighting systems deliver smooth and consistent lighting without distracting reflections or hot spots.

WolfVision's state-of-the-art YSOP1 image processing engine enables the fast and efficient processing of high volumes of data ensuring the consistent real-time display of impressive high definition pictures with unsurpassed levels of accuracy and detail.



High End Optics

Large premium quality lenses provide unrivalled imaging performance.



Image Sensor


WolfVision's high resolution image sensors ensure the capture of image data of the highest quality.



Light System



A high-brightness LED lamp with low power consumption provides smooth and consistent lighting for accurate color reproduction.



Electronic Hardware

High quality components deliver high performance, stability, and reliability.



Software (Firmware)

Sophisticated software maximises the hardware potential to guarantee excellent picture quality.



++ Video ++

Unique Features

Large Zoom Range

14x optical zoom gives great flexibility in presentations - objects as large as an open book or as small as a postage stamp can easily be picked up, and for enlarging even smaller objects, a 2x digital zoom is also provided.

Flexible Memory Options

Nine images can be stored in the internal memory of the VZ-8plus⁴ and recalled instantly using the infrared remote control. The image memory can be expanded by connecting USB sticks to the USB Host port. These memory features are also available on the VZ-8light⁴ with 'Remote Pack' option.

Rotating Camera Head

The rotating camera head allows imaging from virtually any angle, and high-grade mechanical components ensure a stable mount for the camera.

Live Image Preview Monitor (VZ-8plus⁴)

The VZ-8plus⁴ features a built-in LCD preview monitor which makes it easy to position an object correctly on the working surface.

Easy to Use / Zoom Wheel

For basic operation, users only need to use the zoom wheel on top of the camera head (or the zoom keys on the remote control) as all other controls such as focus, brightness, etc., are adjusted automatically.

Power Over Ethernet Plus

The LAN port of the VZ-8 Series Visualizers includes Power over Ethernet Plus (PoE+) functionality, compatible with devices meeting the IEEE 802.3at industry standard. Power over Ethernet is a popular way of saving on cables and installation costs.

Write On Your Visualizer

Self-adhesive dry-erase working surfaces are available as optional accessory items. When fixed to the working surface you can write onto, and erase directly from the Visualizer working surface using whiteboard markers and erasers.

Powerful HD Cameras

The VZ-8plus⁴ features a native 1080p HD CMOS camera with 60 frames per second. The VZ-8light⁴ comes with the same camera with 30 frames per second.



+ 3D Model +



reddot design award
winner 2013

Feature Pack Options

VZ-8light⁴ and VZ-8plus⁴ Visualizer systems can be upgraded using our feature packs to provide additional features and functionality - this gives you unrivalled flexibility when selecting your system. In the case of the VZ-8light⁴ each feature pack functions as a stand-alone upgrade and they are not dependent on each other.



Remote Pack (VZ-8light⁴)

The Remote Pack for the VZ-8light⁴ is an outstanding upgrade for this popular model. In addition to the provision of an infrared remote control, the accompanying firmware upgrade also activates the 9 image






internal memory, seamless cross-fading between image sources, a Picture-in-Picture comparison feature, and the USB host port (USB memory sticks can be used).



BYOD Pack (VZ-8light⁴, VZ-8plus⁴)


The BYOD Pack is available for VZ-8light⁴ and VZ-8plus⁴. It provides a WLAN stick and firmware upgrade which gives wireless connectivity using either 2.4GHz or 5GHz channels.

This provides for quick and easy connection to wifi enabled smartphones or laptops, and also enables our vSolution Connect for iPad app to be used in combination with these units.

					
14x optical zoom + 2x digital zoom	✓	✓	✓	✓	✓
Native resolution 1080p HD	✓	✓	✓	✓	✓
USB and LAN port	✓	✓	✓	✓	✓
High speed autofocus	✓	✓	✓	✓	✓
HDMI output	✓	✓	✓	✓	✓
Smartphone remote compatible	✓	✓	✓	✓	✓
Infrared remote control	X	✓	X	✓	✓
Memory extension via USB stick	X	✓	X	✓	~
9 image internal memory	X	✓	X	✓	✓
Seamless cross-fading between image sources	X	✓	✓	✓	✓
User defined settings can be stored on USB stick	X	✓	X	✓	~
Live to freeze comparison (Picture in Picture)	X	✓	✓	✓	✓
LCD live preview monitor	X	X	X	✓	✓
60 frames per second in all resolutions	X	X	X	✓	✓
H.264 video streaming via LAN	X	X	X	✓	~
BYOD (vSolution Connect support)	X	X	✓	X	✓
WLAN support	X	X	✓	X	✓

~ denotes feature that is not available when vSolution Connect is in use with the Visualizer.





Innovative Sharing Options



Efficient Knowledge Transfer via Streaming

The VZ-8plus⁴ Visualizer or connected vSolution Link software can stream video and audio to computers, tablets or smartphones on the internal network or the internet using either H.264, Motion JPEG, or RTP Motion JPEG modes. An external device receiving the Visualizer's stream can also be used as a larger control monitor.



Quick and Convenient Distribution

WolfVision offers several possibilities for taking snapshots with VZ-8 Visualizer systems, and emailing or printing them using our software components. This facilitates quick and easy distribution of materials during a presentation when required.



Easy Cloud Storage (Dropbox)

Using the BYOD Pack together with vSolution Connect software for iPad facilitates uploading and downloading of material to and from Dropbox. When using vSolution Connect during a presentation, content stored in Dropbox is always easily available.



Flexible Network Integration

Wired or Wireless Network Connection

For maximum stability and reliability, VZ-8 Visualizers can be connected to existing wired LAN infrastructure using encrypted security. Ethernet functionality of the Visualizer can be restricted and access can be password protected. Using the optional BYOD Pack adds wireless connectivity and facilitates integration into existing wireless LAN infrastructure using encrypted security.

Wireless Encryption

VZ-8 Visualizers with the BYOD Pack upgrade support WEP, WPA and WPA2 wireless encryption. This allows for straightforward integration into the enterprise level IT networks commonly found in universities and other organizations, and ensures that no compromises in network security are required.

Single User Authentication

When using a smartphone or iPad with the Visualizer, Single User Authentication ensures a quick and easy wireless connection between device and Visualizer, and prevents any third party from interrupting the connection during a presentation.

Wireless Connectivity (Access Point)

VZ-8 Visualizers with BYOD Pack can also be configured to operate using an encrypted ad-hoc wireless network. This 'standalone' option allows for the direct wireless connection of smartphone, tablet, and PC devices, and means that full bandwidth is available for Visualizer use. It gives users maximum flexibility, particularly if a Visualizer is required to be used in multiple locations.



Bring Your Own Device

✓Solution Connect for tablets

Sync your WolfVision Visualizer with vSolution Connect, our powerful app for iOS, and Android tablets. Using this multimedia control dashboard enables all media types to be integrated and controlled using a single device. Content materials can easily be prepared in advance and added seamlessly into presentations when required.

The app also allows entire presentations including any external content to be recorded, and saved to the tablet memory. A Live Image Preview shows exactly what the audience sees on-screen at all times, and wireless connectivity allows presentations or lectures to be delivered from anywhere in the room.

The annotation feature is ideal for making notes, sketching, and highlighting documents, charts, and pictures. A dedicated whiteboard function also provides a separate space for making and displaying notes on-screen during a presentation.



Transforming Presentations


√Solution Control for Smartphones




The vSolution Control App enables WolfVision Visualizers to connect to an iPhone, Windows 8, Windows Phone 8 or Android device via WLAN. This intuitive and easy to use app allows presenters to use the device keypad and Live Image Preview to control a presentation or lecture wirelessly whilst moving freely around a room.



√Solution Link for PC and Mac

vSolution Link allows a user to connect a computer directly to a Visualizer. This software allows for saving, printing and emailing of images, recording of videos, adding annotations and video streaming. It also provides useful tools for automatically applying Visualizer firmware updates, allowing new features and technical improvements to be added at no cost!



			
Fast Multimedia Source Switching	✓	✓	✓
Visualizer Remote Control	✓	✓	✓
Live Image preview	✓	✓	✓
Image Snapshot	✓	✓	✓
Video Recording	✗	✓	✓
Image Annotation	✗	✓	✓
Live Web Streaming	✗	✗	✓
Access to Web-based Material	✗	✓	✓
Display Content From Device	✗	✓	✓
Multiple Source Preview	✗	✓	✗



Technical Data

	VZ-8light ⁴	VZ-8plus ⁴
Camera	1-CMOS 1/3"	
Pictures per second (as picked up by the camera)	30 frames in all resolutions	60 frames in all resolutions
Effective Pixels (=pixels actually used for image information)	1920x1080 (=2,073,600)	
Total pixels of camera sensor	2,073,600	
Pixels processed per second (=effective pixels x frames per sec.)	62,208,000	124,416,000
Color reproduction / precision	very good colors (sRGB color precision)	
Native signal output	1080p HD (1920x1080)	
Converted output signals (4:3 and 5:4)	UXGA (1600x1200), SXGA (1280x1024), XGA (1024x768), SVGA (800x600)	
Converted Widescreen output signals (16:9 and 16:10)	720p HD (1280x720), WXGA (1280x800), WUXGA (1920x1200)	
Resolution (measured)	980 lines	
Brightness control / Exposure	automatic (manual in on-screen menu or with optional Remote Pack)	automatic and manual
White balance adjustment	automatic and manual	
Autofocus / Speed	yes (continuously working, high speed)	
Manual focus	yes	
Built-in LCD preview monitor	-	yes
Live to Freeze Comparison (Picture in Picture)	optional (with Remote Pack)	yes (still image is a small picture, integrated into the large live image)
On screen menu and on screen help	yes	
Firmware Updates via	USB, LAN, USB stick	
Zoom / Lens	28x zoom (14x optical + 2x digital), with 2-speed zoom wheel	
Max. object height on working surface	120mm (4.7") in tele position 300mm (11.8") in wide	
Max. pick-up area on working surface	length: 300mm (11.8"), width: 400mm (15.8")	
Min. pick-up area on working surface (full resolution, optical zoom)	29x16mm (1.1" x 0.63")	
Min. pick-up area on working surface (with digital zoom)	15x8mm (0.59" x 0.31")	
Max. pick-up area outside of working surface	unlimited	
Depth of focus on small object (42 x 33 mm)	7mm (0.3")	
Depth of focus on large object (360 x 270 mm)	200mm (7.9")	
Tilt range of camera	220° (120° to speaker + 100° to audience)	
Light source	Maintenance free high-brightness LED light system (high light output, low power consumption), lamp lifetime: 30,000 hours	
vSolution Link Software (USB/LAN, for controlling, image and video capturing and firmware updates)	included (for 32 and 64 bit Windows and Macintosh, Twain/WIA compatible, with video capture driver)	
vSolution Cynap compatible	yes	
Reflection-free area on working surface	whole working surface	
Recordings outside of the working surface	yes (to the back and to the front of the unit)	
Automatic image flip	yes (for recordings to the front of the unit)	
Intelligent folding system	pneumatic arm, 2-step set up	
User programmable presets	1 (3 presets with optional Remote Pack)	3
User defined Visualizer settings on USB Stick	optional (with Remote Pack)	yes
Special working surface for transparencies	yes	
External computer input / Input switch	yes, HDMI (DVI or DisplayPort via optional adaptor or cable)	
Seamless cross-fading between image sources	optional (with Remote Pack)	yes
WolfVision image processing engine "YSOP1"	yes	
Image memory	1 image freeze (or 9 pictures in internal memory + unlimited number on USB stick with optional Remote Pack)	9 pictures in internal memory + unlimited number on USB stick
RGB output	one (15-pin D-Sub/VGA-plug)	
DVI output	- (via optional HDMI-DVI cable or adaptor)	
HDMI output	yes	
USB port / standard	USB 2.0 device port (plus USB host port with optional Remote Pack)	USB 2.0 device port and USB 2.0 host port
RS232 port (serial protocol with position setting and status report)	- (if required external LAN to RS232 adaptors can be used)	
Ethernet / LAN port	yes, with PoE+	
LAN web interface	yes	
LAN streaming modes (multicast and unicast)	-	H.264, Motion JPEG, RTP Motion JPEG
WLAN (Dual band stick for 2.4GHz and 5GHz)	Optional: with BYOD Pack	
Advanced controlling with professional protocol via LAN & USB	yes, via LAN and USB	
Weight	5 kg (11 lbs)	
Infrared remote control (including laserpointer)	optional infrared (with Remote Pack)	yes
Anti-theft device	T-Lock (Kensington® Lock) and table lock bolt	
Power (external power pack on portable units)	External power pack: multi range 100-240 V, power consumption: 16W in full operation and between 0.5W and 6.6W in standby modes (adjustable), Power over Ethernet plus (IEEE 802.3at standard)	
Dust cover	included, carrying case optional	
Warranty	5 years	

All units made in Austria, Europe.

Design and specifications subject to change!

Your WolfVision Partner:



More information:



Head Office:

WolfVision GmbH
6833 Klaus / Austria
Tel. +43 523 52250
wolfvision@wolfvision.com

Japan Sales Office
WolfVision Co. Ltd.
Tel. +81 3 6233 9465
wolfvision.japan@wolfvision.com

USA Sales Office
WolfVision, Inc.
Tel. +1 770 931 6802
sales@wolfvision.us

Middle East Sales Office
WolfVision Middle East (Dubai)
Tel. +971 354 2233
middle.east@wolfvision.net

UK Sales Office
WolfVision UK Ltd.
Tel. +44 1628 509 067
wolfvision.uk@wolfvision.com

Canada Sales Office
WolfVision Canada, Inc.
Tel. +1 613 741 9898
wolfvision.canada@wolfvision.com

Asia Sales Office
WolfVision Pte. Ltd. (Singapore)
Tel. +65 6636 1268
wolfvision.asia@wolfvision.net

Germany Sales Office
WolfVision GmbH
Tel. 0800 9828 787
wolfvision.deutschland@wolfvision.com

